EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12	(record$1 near3 fus $3) with (database$1 or data$1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L2	12	(record$1 near3 (merg3 or fus$3)) with (database$1 or data $1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L3	3914	(record$1 near3 match $3) with (database$1 or data$1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L4	2576	record$1 near3 match $3 near3 (database$1 or data$1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L5	14	(record$1 near3 match $3 near3 (database$1 or data$1set$1)) and (record$1 near3 compar$4 near3 (database$1 or data $1set$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L6	1	(record$1 near3 match $3 near3 (database$1 or data$1set$1)) and (record$1 near3 compar$4 near3 (database$1 or data $1set$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L7	19	(hierarch$4 or tree) with variable$1 with (data$1bases or data $1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L8	1	(hierarch$4 or tree) with variable$1 with (data$1bases or data $1sets) with rank$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L9	7	(hierarch$4 or tree) with variable$1 with (data$1bases or data $1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L10	81	((hierarch$4 or tree) with variable$1) and (compar$4 with (data $1bases or tables or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L11	0	((hierarch$4 or tree) with variable$1) with (compar$4 near3 (data $1bases or tables or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L12	19	((hierarch$4 or tree) with variable$1) and (compar$4 near3 (data $1bases or tables or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L13	49	(variable$1 with (compar$4 near3 (data $1bases or tables or data$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L14	6	(variable$1 near3 (compar$4 near3 (data $1bases or data $1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L15	13	((attribute$1 or parameter$1) near3 (compar$4 near3 (data$1bases or data$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L16	2	((attribute$1 or parameter$1) near3 (co$1relation$4 near3 (data$1bases or data$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L19	3590	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L20	4680	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L21	7	(hierarch$4 or tree) with variable$1 with (data$1bases or data$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L22	0	L19 and L21	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L23	0	L20 and L21	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L24	0	L20 and L21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L25	0	L19 and L21	US-PGPUB; USPAT	OR	OFF	2010/01/03 15:03
L26	274	(kuen.xp. or kuen.xa.) and (lu.xp. or lu.xa.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L27	2	"7028052".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L28	124	on$1line with yellow with page$1 and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L29	119	on$1line with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L30	79	online with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L31	35	online with yellow with pages and (@pd < "20040324") and "707"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L32	124	on$1line with (yellow adj page$1) and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L33	9	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L34	2	"6643640".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L35	9	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L36	3	((merg$3 or fusion$3) with criteria with (data$1bases or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L37	1934	(merg$3 with criteria with data$1bases or data$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L38	3	(merg$3 with criteria with (data$1bases or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L39	366	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L40	31	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L41	1	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with criteria with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L42	10	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with criteria) and (merg$3 with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L43	0	(merg$3 with (data $1bases or data $1sets)) and @pd < "20031021" and (merg $3 with criteria) and ((rank$3 or importance) with (variables or parameters))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L44	4	(merg$3 with (data $1bases or data $1sets)) and @pd < "20031021" and (merg $3 with parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L45	0	amsburry.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L46	117	amsbury.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L47	1093	amsbury.xp. and wayne.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L48	148	sana.xp. and al-hashemi.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L49	114	sana.xa. and al-hashemi.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L50	1	(rank$3 near3 (parameters or variables))with merg $3 with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L51	71	(rank$3 near3 (parameters or variables))with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L52	0	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and ((rank$3 near3 (parameters or variables))with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L53	0	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and ((rank$3 near3 (parameters or variables)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L54	9	((rank$3 near3 (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L55	26	((rank$3 with (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L56	4	((rank$3 with (parameters or variables))with database) and @pd < "20031021" and merg$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L57	3	((rank$3 with (parameters or variables))with importance) and @pd < "20031021" and merg$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L58	28	((rank$3 near3 (parameters or variables))near3 importance) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03

L59	10	((rank$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L60	1	((rank$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database and merg$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L61	2	"6976062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L62	2	"20020191014"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
L63	2	"6421777".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2010/01/03 15:03
S1	9	(record$1 near3 fus $3) with (database$1 or data$1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:22
S2	9	(record$1 near3 (merg3 or fus$3)) with (database$1 or data $1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:23
S3	3475	(record$1 near3 match $3) with (database$1 or data$1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:36

S4	2278	record$1 near3 match$3 near3 (database$1 or data$1set$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:37
S5	4	(record$1 near3 match$3 near3 (database$1 or data$1set$1)) and (record$1 near3 compar$4 near3 (database$1 or data$1set$1) near3 criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:38
S6	1	(record$1 near3 match$3 near3 (database$1 or data$1set$1)) and (record$1 near3 compar$4 near3 (database$1 or data$1set$1) near3 criteria) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/27 11:41
S7	19	(hierarch$4 or tree) with variable$1 with (data$1bases or data$1sets)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:50
S8	1	(hierarch$4 or tree) with variable$1 with (data$1bases or data$1sets) with rank$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S9	7	(hierarch$4 or tree) with variable$1 with (data$1bases or data$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 08:51
S10	81	((hierarch$4 or tree) with variable$1) and (compar$4 with (data$1bases or tables or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:05

S11	0	((hierarch$4 or tree) with variable$1) with (compar$4 near3 (data $1bases or tables or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S12	19	((hierarch$4 or tree) with variable$1) and (compar$4 near3 (data $1bases or tables or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:34
S13	49	(variable$1 with (compar$4 near3 (data $1bases or tables or data$1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:38
S14	6	(variable$1 near3 (compar$4 near3 (data $1bases or data $1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:51
S15	13	((attribute$1 or parameter$1) near3 (compar$4 near3 (data $1bases or data $1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 09:54
S16	2	((attribute$1 or parameter$1) near3 (co$1relation$4 near3 (data$1bases or data $1sets))) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 10:16
S17	3	"20030182296" or "20020013735" or "6556987".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 10:20
S18	4	"20030182296" or "20020013735" or "6556987".pn. or "6370547".pn.	US-PGPUB; USPAT	OR	OFF	2009/01/28 11:12
S19	3027	707/6.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:51
S20	3909	707/200.ccls.	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52

S21	7	(hierarch$4 or tree) with variable$1 with (data$1bases or data $1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:52
S22	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S23	0	S20 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:52
S24	0	S20 and S21	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 20:53
S25	0	S19 and S21	US-PGPUB; USPAT	OR	OFF	2009/01/28 20:53
S26	207	(kuen.xp. or kuen.xa.) and (lu.xp. or lu.xa.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:36
S27	2	"7028052".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/28 22:39
S28	124	on$1line with yellow with page$1 and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S29	119	on$1line with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20
S30	79	online with yellow with pages and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:20

S31	34	online with yellow with pages and (@pd < "20040324") and "707"/$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S32	124	on$1line with (yellow adj page$1) and (@pd < "20040324")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:21
S33	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:28
S34	2	"6643640".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 08:48
S35	8	online with yellow with pages and (@pd < "20040324") and "707"/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/30 10:09
S36	3	((merg$3 or fusion$3) with criteria with (data $1bases or data $1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:27
S37	1934	(merg$3 with criteria with data$1bases or data$1sets) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:29
S38	3	(merg$3 with criteria with (data$1bases or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:30

S39	366	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:31
S40	31	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:32
S41	1	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with criteria with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:32
S42	10	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with criteria) and (merg$3 with (parameters or variables))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:37
S43	0	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with criteria) and ((rank$3 or importance) with (variables or parameters))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 12:42
S44	4	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and (merg$3 with parameter)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:09
S45	0	amsburry.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:14

S46	117	amsbury.xa. and wayne.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:14
S47	1093	amsbury.xp. and wayne.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:19
S48	129	sana.xp. and al-hashemi.xp.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:27
S49	114	sana.xa. and al-hashemi.xa.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:28
S50	1	(rank$3 near3 (parameters or variables))with merg$3 with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:29
S51	68	(rank$3 near3 (parameters or variables))with database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:30
S52	0	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and ((rank$3 near3 (parameters or variables))with database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:31
S53	0	(merg$3 with (data$1bases or data$1sets)) and @pd < "20031021" and ((rank$3 near3 (parameters or variables)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:31

S54	9	((rank$3 near3 (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 14:32
S55	26	((rank$3 with (parameters or variables))with database) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:27
S56	4	((rank$3 with (parameters or variables))with database) and @pd < "20031021" and merg$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:27
S57	3	((rank$3 with (parameters or variables))with importance) and @pd < "20031021" and merg$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:33
S58	28	((rank$3 near3 (parameters or variables))near3 importance) and @pd < "20031021"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S59	10	((rank$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S60	1	((rank$3 near3 (parameters or variables))near3 importance) and @pd < "20031021" and database and merg$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/09 15:39
S61	2	"6976062".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/08/10 10:06

| S62 | 2 | "20020191014" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/10 11:47 |
| S63 | 2 | "6421777".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2009/08/10 11:54 |

EAST Search History (Interference)

<This search history is empty>

1/3/2010 3:09:41 PM
C:\ Documents and Settings\ klu\ My Documents\ EAST\ Workspaces\ 10576800.wsp